



Supply, Installation, Commissioning, Service Repair, Modemisation Of Elevators & Escalators



## COMPANY PROFILE

Quality Elevators is one of the Pioneers in the Elevator Industry. We have been Consistently Catering to the needs of our Customers with Quality Products and Services.

We have Proudly Invested in Research & Development for coming up with most Contemporary Safest, Smartest & Smoothest Elevator Experience. Our Sound Specialized Services includes Installation, Modernization, Maintenance & Designing both for Standard Operations as well as Customized Operations. We have a Sprawling Client Base in all over Punjab.

Quality Elevators is a fast Growing name in Elevator Industry. Our Company is Directed by 3 Governing Principles which are :

- 1. Quality
- 2. Safety
- 3. Customer Satisfaction









- New installation of elevator and escalators
- Modernization of the outdated elevators
- Maintenance of elevators and escalators
- Free consultation service
- Seven days open\*

\* Terms and conditions apply



### CABIN DESIGNS



Inox 1010



lnox 1020





### CABIN DESIGNS



Sapphire 2010





Sapphire 2020



Sapphire 2040

Sapphire 2030

#### CABIN DESIGNS










#### DOOR5



Stainless Steel Center Opening Door





Stainless Steel Telescopic Door

Manual Imerforated Door



Glass Door (Gold Finish)





Half Vision Glass Door Stainless Steel Center Opening Door

#### CAR OPERATING PANELS



#### CEILING



#### FLOORING



## FLOORING

























### ELEVATOR FEATURES

#### Safety Features

- Automatic rescue device
- Overspeed governor system
- Full length door sensor
- Fireman's switch

- Manual evacuation through door key
- Battery operated alarm

#### **Creative Display and Communication**

- Touch screen c.o.p
- L.C.D display
- Voice announcement + music
- Over load device + Buzzer +

- display
- Scrolling floor indicator
- Visual direction indicator
- Visual car position indicator
- Audible call acceptance

#### **Bold Designs**

- Full length safety glass doors
- Coloured s. s sheet inside cabin
- Full length mirror sheet on rear wall
- L.E.D lights
- Straight handrails

- Exaust fan / Blower
- Designer ceiling
- Wall mount C.O.P. / L.O.P.
- Visual destination floor display
- Key switch
- Cabin ventilation
- Auto attendant key



- Prompt, reliable and GPS enabled service
- Fully equipped technical team
- 24 x 7 unmatched service
- Dedicated Service Centre
- Options of several service plans available that suit your requirments

#### CIVIL DIMENSIONS

#### Automatic Centre Opening / Telescopic Doors-MRL Lifts


No. of Persons	Rated Capacity	Speed	Entrance Width	Car Size A x B	Hoistway Dimensions	PIT	OVER HEAD
	KG	M/S	MM	MM	X x Y MM	MM	MM
6	408	1.00	700	1100X 1000	1700X 1420	1300	4000
		>1.00 <1.75				1600	4800
8	544	1.00	800	1100X 1300	1750X 1720	1300	4000
		>1.00 <1.75				1600	4800
10	680	1.00	800	1300X 1350	1950X 1800	1600	4000
		>1.00<1.75				1800	4800
13	884	1.00	900	1300X 1700	1950X2150	1600	4000
		>1.00<1.75			. NI	1800	4800
16	1088	1.00	1000	1500X 1750	2150X2200	1600	4000
		>1.00<1.75				1800	4800
20	1360	1.00	1000	1500X2000	2200 X 2450	1600	4000
		>1.00 <1.75				1800	4800

#### **Automatic Centre Opening Doors-passenger Lifts**


No. of Persons	Rated Capacity	Entrance Width	Car Size Ax B	Hoistway Dimensions	Machine Room
	KG	ММ	MM	XxYMM	MAX MB
6	408	700	1100X 1000	1600 X 1600	2400 X 3300
8	544	800	1300X 1100	1700X 1700	2500 X 3500
10	680	800	1300X 1350	1700X 1950	2500 X 3500
13	884	900	1500X 1470	2150 X 1900	3000 X 3600
16	1088	1000	1700 X 1530	2350 X 2000	3000 X 3600
20	1360	1000	1900 X 1580	2550X2100	3000X4000


#### **Automatic Centre Opening Doors-Hospital Lifts**

No. of Persons	Rated Capacity	Entrance Width	Car Size Ax B	Hoistway Dimensions	Machine Room
	KG	MM	ММ	XxYMM	MAX MB
10	680	800	900X 1950	1750X2500	2500 X 3500
15	1020	900	1000X2400	1950X3000	3000 X 3600
20	1360	1000	1300X2400	2200 X 3000	3000 X 4000
26	1768	1200	1600 X2400	2600 X 3000	3000 X 4000



(SECTION : A-A) LIFT WELL





Notes:

1. The Minimum Dimensions Are Shown In Above Table. Some Allowances Should Be Considered For Sloping Hoistways.

2. Above Dimensions Are Based On Centre Opening Door Arrangement. For Other Arrangements Consult Gravity.

3. When Non Standard Capacities & Dimensions Are Required, then Consult Gravity.

#### CUSTOMER GUIDE



Machine room ladder should have proper railing with footing steps. Necessary anti rust painting should be done to protect against rain water & atmospheric condition.

Machine room main switch should be as per required rating & with suitable independent earthing.





Provide Machine room window with rain protection shade to protect machine room equipment from rain water entering in machine room.

Lintel should be of 350 mm height & depth is as per thickness of wall (preferably 230 mm.) Length of lintel is depending upon opening/hoistway width.





Bulkhead fitting in hoist way should be with cover & 4" away from corner of hoist way.

# ✓ SAFE ✓ BOLD ✓ CREATIVE

# Quality Elevators

**ERECTIONS OF NEW LIFTS, MODERNISATION & MAINTENANCE** 

## 🕅 +91-90412-32655 | +91-98789-94728

**Q** Shop No. 11, Dhina Road, Opp. Dera Sant Baba Maan Singh Ji, Jalandhar (Pb.)

E-mail : enquiry@qualityelevators.co.in

www.QualityElevators.co.in